



Electric Energy Security in the Domestic Theater

Dr Bill Waugaman N-NC Energy Security WG June 2010

maintaining the data needed, and c including suggestions for reducing	completing and reviewing the collection this burden, to Washington Headquald be aware that notwithstanding an	o average 1 hour per response, include ion of information. Send comments rarters Services, Directorate for Information by other provision of law, no person services.	egarding this burden estimate on mation Operations and Reports	or any other aspect of th , 1215 Jefferson Davis I	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE JUN 2010		2. REPORT TYPE		3. DATES COVE 00-00-2010	red to 00-00-2010	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Electric Energy Security in the Domestic Theater			5b. GRANT NUMBER			
				5c. PROGRAM E	LEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
	ZATION NAME(S) AND AD nmand ,250 Vanden 08	8. PERFORMING ORGANIZATION REPORT NUMBER				
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONUMBER(S)	ONITOR'S REPORT	
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO Presented at the N l held 14-17 June 20	DIA Environment, I	Energy Security & S	ustainability (E2	S2) Symposiu	ım & Exhibition	
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF	18. NUMBER	19a. NAME OF	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 49	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188



Background

- Development of the Electric Grid
- Physical Characteristics
- Power Failures
- DOD Focus

Engagement

- Partners
- DOD and Electric Grid Security

Way Ahead

- Observations
- Opportunities



"Almost complete dependence of military installations on a fragile and vulnerable commercial power grid and other critical national infrastructure places critical military and Homeland defense missions at an unacceptably high risk of extended disruption."

- Defense Science Board, February 2008



Objective – Electric Energy Security

1. Assured supply and availability of electrical energy.



2. Protect against unauthorized access affecting information, control, availability, and reliability of electric power.

USNORTHCOM's unique focus is DOD mission assurance in the homeland



The Situation



Feb 08 - "Critical national security and homeland defense missions are at an unacceptably high risk of extended outage from failure of the electric grid."



May 09 - "Aurora threat revealed the possibility that sophisticated hackers could seriously damage the grid by destroying mechanisms downstream from the initial point of attack."




Feb 10 - "DoD will conduct a coordinated energy assessment, prioritize critical assets, and promote investments in energy efficiency to ensure that critical installations are adequately prepared for prolonged outages caused by natural disasters, accidents, or attacks."

References:

- •The Defense Science Board Task Force on DoD Energy Security, "More Fight Less Fuel," February 2008.
- •Powering America's Defense, Energy and the Risks to National Security, by the Center for Naval Analyses Military Advisory Board, May 2009
- ·Quadrennial Defense Review Report, February 2010



The National Engine







Electric Grid Development


Early Urban Utilities;
Like stand alone buildings

Grid interconnections to allow power to flow between utilities

Smart Grid adds in comms & intelligence







SMART GRID AS A 'HUMAN BODY'

• Digital in

• Dynamic

Distribute


Renewab

Real Time
 Technolo

and Controls Technolicion
tion
ation
ted, Interactive Contr

Source: Human body analogy: MIT and SAP

Smart Grid attributes: NIST




egrate "Smart" App vanced Distributed rastructure Standar nely feedback to co ntrol options






Smart Grid Cyber Vulnerabilities



Source: NIST SP 800-82



Gap in Expertise





Northeast Blackout of 2003

- 14 August 2003 starting at 3:41 PM EDT
- 55 Million People
- New York, New Jersey, Maryland,
 Connecticut, Ohio, Michigan, Pennsylvania,
 Ontario and parts of Massachusetts
- Approx 48 Hours

Cause:

•Overgrown tree branches near Eastlake, Ohio impacted High Voltage lines during high power demand period.





Legislative and Policy Focus

HSPD-7 DOD Inst 4170.10 para 4.4.6 DOD Inst 4170.11 (2005)

Energy Security
(Mission)

EPAct 1992

EPAct 2005

EO 13423

EISA 2007

10 USC 2688

(Utilities Privatization)

NDAA 2008 Sec 355, 902

DODD 4140.25 (2004)

DODD 5126.46 (1987)


DOD Inst 4170.10 (1991)

DOD Inst 4170.11 (2005)

Energy Conservation (Economics)







NIPP

 Unifies effort for protection of critical infrastructure and key resources

Energy Sector Specific Plan

- Collaborative process between the private sector, state, local, and tribal governments,
- Identify threats, mitigate vulnerabilities, minimize consequences



Government

- Federal Energy Regulatory Commission
- State Public Utility Commissions




Industry

- North American Electric Reliability Corporation (NERC)
- Electric Utility Associations
 - Edison Electric Institute (EEI)
 - American Public Power Association (APPA)
 - National Rural Electric Coop Association



Conclusions and the Way Ahead





Physical Security

Cyber Security

C4ISR

Interagency Coord


Nat'l Defense

Nat'l Security












- Partnership in <u>national</u> and <u>community</u> initiatives
 - Smart Grid Development
 - Influence Implementation of Smart Grid in CONUS
 - JCTD Smart Power Infrastructure Demonstration for Energy Reliability and Security (SPIDERS)
 - Rocky Mountain Secure Smart Grid Initiative (RMSSGI)
 - Renewable Energy development on military bases
- Table Top Exercise
 - Secure Grid '10
 - July 2010



NO RELATIONS OF THE PARTY OF TH

What Is SPIDERS?

Reduce the "unacceptably high risk"* of extended electric grid outages by developing the capability to provide secure generation and distribution at an installations while maintaining operational surety & security

Demonstrate:

- Cyber-security of electric grid
- Smart Grid Technologies & applications
- Islanded micro-grid
- Integration of distributed & intermittent renewable sources
- Demand-side management
- Redundant back-up power systems

· Results in:

- First complete DoD installation with a secure, smart micro-grid capable of islanding
- Template for DoD-wide installation energy security

^{*}From Defense Science Board Task Force on DoD Energy Security, Feb 2008



SPIDERS Participants

 USPACOM, USNORTHCOM DOE, and DHS





















• OSD Power Surety Task Force













Navy Facilities Engineering Command



States of Hawaii & Colorado





• Local Utility Companies







- USNORTHCOM is a key partner within DOD advocating for a reliable, efficient, secure, and resilient electrical power grid.
- USNORTHCOM strongly encourages increased energy efficiency based on sound technical solutions that fully consider security implications.
- The time to include security is now!
 - Industry is moving forward with Smart Grid implementation,
 with or without consideration of DOD security requirements
 - Better to design in security now than to patch later





BACK UP SLIDES



History of Early Electric Grid

Year	Event	Comments	
1882	Edison Pearl Street Generating Station, New York City	59 Customers	
1896	Niagara Falls Hydroelectric Plant, Westinghouse	First AC transmission to remote customers	
1920	Federal Power Commission (FPC) created by Congress	Coordinate Hydroelectric projects under Federal control; ad-hoc staff from other Federal agencies	
1930	Federal Power Act	Established five bi-partisan commissioners	
1901-1932	Electrification of urban America		
1930-1945	Electrification of rural America	Funded through USDA stimulus funds	
1935	Public Utility Holding Company Act (PUHCA) Beginning of regional elec monopolies		
1935	Federal Power Act	Gave regulatory authority to states; FPC regulated bulk power transmission across state lines	




History of Electric Grid

Year	Event	Comments	
1965	Northeastern power blackout	Raised concerns about reliability of large interdependent power networks	
1967	Electric Reliability Act	Drove establishment of electric performance standards	
1968	North American Electric Reliability Council (NERC) created	Industry created non-profit self-regulating organization.	
1977	Federal Power Commission (FPC) reorganized as Federal Energy Regulatory Commission (FERC)		
1978	Public Utility Regulatory Policies Act (PURPA)	Set the stage for deregulation and Independent Power Producers (IPP)	
1979	Three Mile Island	Shut down nuclear plant construction	
1992	Energy Policy Act (EPACT)	Bulk power transmission deregulation	
2005	Energy Policy Act (EPACT)	Gave FERC punitive authority to enforce reliability standards	
2007	Energy Independence & Security Act (EISA)	National grid integration and Renewable Energy initiatives	
2008	FERC established 8 mandatory reliability standards		




Electric Utility Control Systems






Today's Electric Grid










- Digital Information and Controls Technology
- Dynamic Optimization
- Distributed Generation
- Renewables Integration
- Real Time, Automated,
 Interactive Control Technology
- Integrate "Smart" Appliances
- Advanced Distributed Storage
- Infrastructure Standards
- Timely feedback to consumers
- Control options



Electric Grid Regions and Interconnects





Electric Energy Initiatives

- Advanced Metering Initiative
- Renewable Energy
- Smart Grid





Wind Turbines at F.E. Warren AFB, WY



Solar Array at Fort Carson, CO



Electric Grid Security Objectives

- Ensuring proper access control to the smart grid network and role-based access control to its operations
- Protecting physical access to the smart grid network and devices
- Protecting individual smart grid components from exploitation
- Maintaining functionality during adverse conditions
- Restoring systems and services after an incident



Existing Standards for Smart Grid Interoperability

Standard	Application	Smart Grid
		Area
AMI-SEC System	Advanced metering infrastructure (AMI) and Smart Grid	IT
Security Requirements	end-to-end security	
ANSI C12.19/MC1219	Revenue metering information model	IT
BACnet ANSI	Building automation	COM
ASHRAE 135 -		
2008/ISO 16484 -5		
DNP3	Substation and feeder device automation	COM
IEC 60870 -6 / TASE.2	Inter-control center communications	COM
IEC 61850	Substation automation and protection	COM
IEC 61968/61970	Application level energy management system interfaces	
IEC 62351 Parts 1 -8	Information security for power system control operations	COM
IEEE C37.118	Phasor measurement unit (PMU)communications	COM
IEEE 1547	Physical and electrical interconnections between utility and	POWER
	distributed generation (DG)	
IEEE 1686 -2007	Security for intelligent electronic devices (IEDs)	
NERC CIP 002 -009	Cyber security standards for the bulk power system	COM
NIST Special	Cyber security standards and guidelines for federal	COM
Publication (SP) 800 -	information systems, including those for the bulk power	
53, NIST SP 800 -82	system	
Open Aut omated	Price responsive and direct load control	
Demand Response	_	
(Open ADR)		
OpenHAN	Home Area Network device communication, measurement,	
	and control	
ZigBee/HomePlug	Home Area Network (HAN) Device Communications and	
Smart Energy Profile	Information Model	



High Voltage Interconnects





Northeast Blackout of 1965

- 9 November 1965 starting at 5:16 PM EST
- 25 Million People
- 80,000 Square Miles
- 12 Hours


Cause:

- Protective relay connecting NiagaraFalls hydro plant with Southern Ontario
- Relay set too low of a power setting
- Surge from Robert Moses Generating Plant, Lewiston, NY, caused relay to trip
- Cascading overloads throughout grid






U. S. Electric Power Plants





Comparison of World Electric Production and Consumption




Source: CIA World Factbook




Relative Growth in Electric Generation and Consumption

World Electric Power



US Electric Power




Sources: DOE EIA International Energy Outlook 2009

DOE EIA International Generating Capacity, 1980-2006

DOE EIA International Electric Projections, 1990-2030




DOD Energy Consumption





Electricity Production by Energy Source




Source: DOE Energy Information Administration, Electric Power Annual Report 2007 (Released 21 Jan 09)

Energy Source	Capacity	Percentage
Natural Gas	449,389	41.31%
Coal	336,040	30.89%
Nuclear	105,764	9.72%
Hydroelectric	77,644	7.14%
Petroleum	62,394	5.74%
Pumped Storage	20,355	1.87%
Wind	16,596	1.53%
Wood Fuels	7,510	0.69%
Other Biomass	4,834	0.44%
Geothermal	3,233	0.30%
Other Gases	2,663	0.24%
Other	866	0.08%
Solar	503	0.05%
Total	1,087,791	100.00%

Production Capacity In Megawatts (MW)




World Electric Generation Projections By Source



Source: DOE Energy Information Administration, Report #:DOE/EIA-0484 (Released May 2009)




US Electric Generation Projections by Source






US Renewable Energy Projections






Operating Nuclear Power Reactors



- 104 Reactors Licensed to operate in U.S.
 - •32% of worldwide electric production by nuclear power
- 437 Operational Reactors Worldwide




U.S. Geothermal Energy Potential



Source: DOE Energy Efficiency and Renewable Energy Program Website. http://www1.eere.energy.gov/geothermal/maps.html




Average Annual Wind Power Potential



Source: National Renewable Energy Laboratory, Wind Energy Resource Atlas of the United States (Oct 1986)




Solar Energy Potential






Solar Energy Potential






U.S. Energy Distribution Nodes







Source: Energy Information Administration



Partnering Opportunities

